






Our FireBug Drip Torches are available in either a 4 litre or 5 litre model - with the 5 litre complete with a retractable wand for easy storage.

The lightweight aluminium body means that the end user is not required to lug a heavy unit around even when full.

The gravitational feed of the Drip Torch allows the unit to drip fire, making it simple and quick to operate.

Other features of the FireBug include:

- Tank is constructed from aluminium; both machined and casted.
- Brass fittings for longer life & durability.
- Powder coated for protection.
- Bio fuel compatible.



4 Litre Firebug







STANDARD EQUIPMENT

The lightweight aluminium body means that the end user is not required to lug a heavy unit around even when full.

The gravitational feed of the Drip Torch allows the unit to drip fire, making it simple and quick to operate.

Other features of the FireBug include:

- Tank is constructed from aluminium; both machined and casted.
- Brass fittings for longer life & durability.
- Powder coated for protection.
- Bio fuel compatible.



Disclaimer: Back burning equipment should be used by trained, experienced personnel only. Precautions should be taken to prevent danger to yourself and others. A means of escape should always be located before setting fires where rapid spread may prove hazardous to yourself or others. All petroleum products should be handled with the same precautions as when working with fuel. Keep torch in good working condition, make sure all connections are tight, inspect on a regular basis and replace any damaged parts with original replacement parts only.



4 LITRE FIRGBUG SPARE PARTS



Wand Repair Kit

Qty	Description
1	Wick bracket and bolt
1	Nozzle
1	Ignition wick



Bleed Screw Complete

Qty	Description
1	Bleed screw
1	O Ring bleed screw
1	Nylon washer
1	Bleed screw housing & tube
1	Bleed screw retainer



Fuel Tap

Description

Firebug Fuel Tap FCT1 & 2



Wand Assembly Less Tap

	traila Assembly Ecss Tap
Qty	Description
1	Wick bracket and bolt
1	Nozzle
1	Ignition wick
1	Anti Flash Wand with Nozzle



O' Ring / Seal Kit

Qty	Description
6	'O' Ring bleed screw
6	'O' Ring filler cap
6	Nylon Washer



Filler Cap

Description

Filler Cap c/w Fuel Mix Sticker & O-Ring

5 Litre Firebug









STANDARD EQUIPMENT

Complete with a retractable wand for easy storage.

The lightweight aluminium body means that the end user is not required to lug a heavy unit around even when full.

The gravitational feed of the Drip Torch allows the unit to drip fire, making it simple and quick to operate.

Other features of the FireBug include:

- Tank is constructed from aluminium; both machined
- Brass fittings for longer life & durability.
- Powder coated for protection.
- Bio fuel compatible.



Disclaimer: Back burning equipment should be used by trained, experienced personnel only. Precautions should be taken to prevent danger to yourself and others. A means of escape should always be located before setting fires where rapid spread may prove hazardous to yourself or others. All petroleum products should be handled with the same precautions as when working with fuel. Keep torch in good working condition, make sure all connections are tight, inspect on a regular basis and replace any damaged parts with original replacement parts only.



5 LITRE FIRGBUG SPARE PARTS



Wand Repair Kit

Qty	Description
1	Wick bracket and bolt
1	Nozzle
1	Ignition wick



Bleed Screw Complete

Qty	Description
1	Bleed screw
1	O Ring bleed screw
1	Nylon washer
1	Bleed screw housing & tube
1	Bleed screw retainer



Fuel Tap

Description

Firebug Fuel Tap FCT1 & 2



Wand Assembly Complete

Qty	Description
1	Wick bracket and bolt
1	Nozzle
1	Ignition wick
1	Fuel Tap
1	Anti Flash Wand with Nozzle
1	Brass locking nut
1	Extension wand
1	Hex socket reducer



'O' Ring / Seal Kit

Qty	Description
4	'O' Ring bleed screw
4	'O' Ring filler cap
4	Nylon Washer
4	Nylon olive



Filler Cap

Description

Filler Cap c/w Fuel Mix Sticker & O-Ring



