



Rodney **Industries**

FLOATS & PONTOONS



2024



FLOATS & PONTOONS

With a large selection of standard sizes available, Rodney Industries' offers an Australian Made floats and pontoons designed for Australian conditions. If standard doesn't suit your requirements, don't worry - our Sales and Design Team can help!

- Designs include single or double style.
- Variations on standard sizes available.
- All tethering lugs have metal ferrules to prevent cable cutting/sawing.
- Adjustable sled to the batter angle (slope angle) of ponds, dams, rivers.
- Configured for suction line, footvalves or submersible pumps.

OUR STANDARD RANGE



* Note 5 lugs for 160mm



	Size			Code
	DIA	Length	Load Capacity	
Single Floats	160	1500	15 kg	F1601500
	200	1000	15 kg	F2001000
	200	1500	21 kg	F2001500
	200	2000	29 kg	F2002000
	250	1500	34 kg	F2501500
	315	1500	53 kg	F3151500
	315	2000	71 kg	F3152000
	315	2500	89 kg	F3152500
	315	3000	106 kg	F3153000
	355	2500	112 kg	F3552500
	355	3000	135kg	F3553000

	Size			Code
	DIA	Length	Load Capacity	
Double Float	200	1500	43kg	FD2001500
	200	2000	57kg	FD2002000
	250	2500	111 kg	FD2502500
	250	3000	134 kg	FD2503000
	315	2500	177 kg	FD3152500
	315	3000	250 kg	FD3153000
	355	2500	225 kg	FD3552500
	355	3000	269 kg	FD3553000
	400	2500	285 kg	FD4002500
	450	3000	433 kg	FD4503000

Please note: the following specifications are to be used as a guide only. Please contact our office for product specific technical data.

CUSTOMISED FABRICATIONS



Float Double Heavy Duty 250mm x 2000mm c/w 200mm SDR11 T/D inlet and outlet



Poly Pontoon with built in Footvalve



Float Double 160mm x 1200mm c/w 180 Suction Pipe Cradle - Foam Filled



Poly Pontoon with Galv Support Frame



Standard Double Float with Frame



Poly Pontoon with built in Footvalve and Vortex Plate

